

Amendments to the Claims:

The claims below will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An event creation system for use in storing files relating to at least one event that is to occur at a predetermined time in the future, comprising:

a computer device;

a peripheral device that is connectable to the computer device; and

software running on the computer device configured to automatically create at least one folder of an event on the peripheral device when the peripheral device is connected to the computer device in response to an automatic determination that an e-mail message contains a date of the event, wherein files that are created on the peripheral device after the predetermined time occurs are automatically placed into the automatically created at least one folder and wherein at least one subdirectory is automatically created for the at least one folder based on at least one predetermined agenda relating to the at least one event; and

a wireless network configured to automatically create at least one folder of the event on a third party's peripheral device in response to the automatic determination that the e-mail message contains a date of the event.

2. (previously presented) The system recited in Claim 1 wherein the computer device is capable of receiving the e-mail message relating to the event that is to occur at the predetermined time in the future, and wherein the software is responsive to receipt of the e-mail message and which creates the folder on the peripheral device.

3. (original) The system recited in Claim 1 which comprises a dock based event creation system, wherein the computer device is capable of connecting to multiple peripheral devices, and wherein the software is responsive to the connections of the peripheral devices to the computer device to create a folder on each of the peripheral devices into which files that are created after the predetermined time are automatically placed.

4. (previously presented) The system recited in Claim 2 wherein the folder is given an intuitive name relating to the event designated by the e-mail message.

5. (previously presented) The system recited in Claim 1 wherein the folder has metadata relating to the event created for it.

6. (original) The system recited in Claim 5 wherein the metadata is a descriptor of the event timing.

7. (original) The system recited in Claim 1 wherein the peripheral device is selected from a group consisting of personal computers, handheld computers, personal digital assistants, and cellular telephones.

8. (previously presented) The system recited in Claim 1 wherein the software includes automated downloads to the peripheral device for automatically maintaining naming conventions.

9. (currently amended) A method for use in storing files relating to an event that is to occur at a predetermined time in the future, comprising the steps of;

accepting e-mail messages on a computer device;

connecting a peripheral device designated for use at the event to the computer device;

creating at least one folder for at least one event in response to an automatic determination that at least one e-mail message contains at least a date of the event on the connected peripheral device;

using a wireless network to automatically create at least one folder of the event on a third party's peripheral device in response to the automatic determination that the e-mail message contains a date of the event;

after the predetermined time, automatically placing files that are created on the peripheral device and the third party's peripheral device into the respective folders of the peripheral device and the third party's peripheral device; and

automatically creating at least one subdirectory for the at least one folder based on at least one predetermined agenda relating to the at least one event.

10. (previously presented) The method recited in Claim 9 wherein the step of accepting an e-mail messages comprises an e-mail based event, and wherein receipt of the e-mail message creates the folder on the peripheral device.

11. (previously presented) The method recited in Claim 10 wherein the folder is given an intuitive name relating to the event designated by the e-mail message.

12. (previously presented) The method recited in Claim 9 wherein the folder has metadata relating to the event created for it.

13. (original) The method recited in Claim 12 wherein the metadata is a descriptor of the event timing.

14. (original) The method recited in Claim 9 wherein the peripheral device is selected from a group consisting of personal computers, handheld computers, personal digital assistants, and cellular telephones.

15. (previously presented) The method recited in Claim 9 wherein downloads are automatically sent to the peripheral device for automatically maintaining naming conventions.

16. (currently amended) A method for use in storing files relating to at least one event that is to occur at a predetermined time in the future, comprising the steps of:
configuring a computer device to allow a peripheral device to connect to it;
determining that an event with a date is scheduled on the computer device;
designating the peripheral device for the event;
connecting the peripheral device to the computer device;
automatically creating a folder on the connected peripheral device for the event in response to the peripheral device being connected to the computer device that contains the date of the event; and

wirelessly connecting a third party's peripheral device directly to the peripheral device;

automatically creating at least one folder of the event on a third party's peripheral device in response to the peripheral device and the automatic determination that the e-mail message contains a date of the event; and

automatically placing files that are created on the peripheral device and the third party's peripheral device and automatically creating at least one subdirectory for the at least one of the respective folders based on at least one predetermined agenda relating to the at least one event.

17. (previously presented) The method recited in Claim 16 wherein the folder is given an intuitive name relating to the event designated by an email message.

Serial No.: 10/686,855
Attorney Docket No.: 100111145-1

18. (previously presented) The method recited in Claim 16 wherein the folder has metadata relating to the event created for it.

19. (previously presented) The method recited in Claim 17 wherein the metadata is a descriptor of the event timing.

20. (previously presented) The method recited in Claim 16 wherein the peripheral device is selected from a group consisting of personal computers, handheld computers, personal digital assistants, and cellular telephones.

21. (previously presented) The method recited in Claim 16 wherein downloads are sent to the peripheral device for automatically maintaining naming conventions.

22. (currently amended) An event creation system for use in storing files relating to at least one event that is to occur at a predetermined time in the future, comprising:

a computer device;

a peripheral device that is connectable to the computer device;

folder creation means operative on the computer device for creating at least one folder on the peripheral device into which files created on the peripheral device after the predetermined time are automatically placed;

subdirectory creation means for automatically creating at least one subdirectory for the at least one folder based on at least one predetermined agenda relating to the at least one event; and

third party folder creation means operative on the computer device for determining that an event with a date is scheduled on the computer device, designating the peripheral device for the event, connecting the peripheral device to the computer device, automatically creating a folder on the connected peripheral device for the event in response to the peripheral device being connected to the computer device that contains the date of the event, wherein at least one third party folder is created on at least one third party peripheral device into which files created on the at least one third party peripheral device after the predetermined time occurs are automatically placed and for automatically creating at least one third party subdirectory for the at least one third party folder based on the predetermined agenda relating to the at least one event;

a wireless network configured to automatically create at least one folder of the event on a third party's peripheral device in response to the automatic determination that the e-mail message contains a date of the event.

23. (preciously presented) The system recited in Claim 21 which comprises an e-mail based event creation system, wherein the computer device is capable of receiving an e-mail message relating to an event that is to occur at a predetermined time in the future, and wherein the folder creation means is responsive to receipt of the e-mail message and which creates the folder on the peripheral device.

24. (previously presented) The system recited in Claim 21 wherein the computer device is capable of connecting to multiple peripheral devices, and wherein the folder creation means is responsive to the connections of the peripheral devices to the computer device to create a folder on each of the peripheral devices into which files that are created after the predetermined time are automatically placed.

25. (previously presented) The system recited in Claim 22 wherein the folder is given an intuitive name relating to the event designated by the e-mail message.

26. (previously presented) The system recited in Claim 21 wherein the folder has metadata relating to the event created for it.

27. (previously presented) The system recited in Claim 25 wherein the metadata is a descriptor of the event timing.

28. (previously presented) The system recited in Claim 21 wherein the peripheral device is selected from a group consisting of personal computers, handheld computers, personal digital assistants, and cellular telephones.